EVERY ROAD IS YOURS

THE NEW SILEX
MODEL RANGE OVERVIEW













MERIDA

SILEX 10K

SPACE TEAL (SILVER/CHAMELEON)



FRAME	SILEX CF2 II, material: carbon, 700x47C max. wheelsize, 100x12/142x12mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, M, L, XL
FORK	MERIDA SILEX II CF2, Tapered, material: carbon, 700x47C max. wheelsize
BRAKES	Sram Red AXS, hydraulic disc
ROTORS	Sram Centerline X, 180mm
HEADSET	MERIDA 8158
HANDLEBAR	Easton EC70 AX, material: carbon, 400mm (XS-S) , 420mm (M) , 440mm (L/XL)
HANDLEBAR STEM	MERIDA TEAM CC III, material: aluminium, 31.8mm diameter, -6° stem angle, incl. MERIDA SMART MOUNT, 80 mm all sizes
GRIP	MERIDA ROAD Expert
DERAILLEUR (R)	Sram X01 Eagle AXS
SHIFTERS	Sram Red Etap AXS
SEAT POST	Sram Reverb XPLR AXS
SEAT CLAMP	MERIDA EXPERT
SADDLE	Prologo Scratch M5 AGX, V-mount adapter, incl. MERIDA minitool

CHAIN	Sram X01 Eagle
CRANK	Sram Red 1 AXS Wide Power Meter, 42 teeth, 170 mm-XS/S, 172,5 mm-M, 175 mm-L/XL
FREEWHEEL	Sram XG 1295, 10-52 teeth, 12 speed
BOTTOM BRACKET	Sram DUB BSA 68 Road Wide
RIM	Reynolds Black Lable G700 Pro, 100x12mm width front hub, 142x12mm width rear hub, 25mm inner width, 26mm height, Centerlock, material: carbon
WHEELSET	Reynolds Black Lable G700 Pro, 100x12mm width front hub, 142x12mm width rear hub, 25mm inner width, 26mm height, Centerlock, material: carbon
AXLES	MERIDA EXPERT TR, including removable lever, 6/4mm allen key
TYRES	Maxxis Rambler, 700x45C, fold, TR, EXO
WEIGHT	8.4 kg, weighed at frame size M

X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · DI2 READY · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · F-MOUNT · DISC COOLER · INTERNAL CLAMP · REMOVABLE F-MOUNT · WIRE PORT

SILEX 10K

GUN METAL GREY (BLACK/TITAN)



FRAME	SILEX CF2 II, material: carbon, 700x47C max. wheelsize, 100x12/142x12mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, M, L, XL
FORK	MERIDA SILEX II CF2, Tapered, material: carbon, 700x47C max. wheelsize
BRAKES	Sram Red AXS, hydraulic disc
ROTORS	Sram Centerline X, 180mm
HEADSET	MERIDA 8158
HANDLEBAR	Easton EC70 AX, material: carbon, 400mm (XS-S) , 420mm (M) , 440mm (L/XL)
HANDLEBAR STEM	MERIDA TEAM CC III, material: aluminium, 31.8mm diameter, -6° stem angle, incl. MERIDA SMART MOUNT, 80 mm all sizes
GRIP	MERIDA ROAD Expert
DERAILLEUR (R)	Sram X01 Eagle AXS
SHIFTERS	Sram Red Etap AXS
SEAT POST	Sram Reverb XPLR AXS
SEAT CLAMP	MERIDA EXPERT
SADDLE	Prologo Scratch M5 AGX, V-mount adapter, incl. MERIDA minitool

CHAIN	Sram X01 Eagle
CRANK	Sram Red 1 AXS Wide Power Meter, 42 teeth, 170 mm-XS/S, 172,5 mm-M, 175 mm-L/XL
FREEWHEEL	Sram XG 1295, 10-52 teeth, 12 speed
BOTTOM BRACKET	Sram DUB BSA 68 Road Wide
RIM	Reynolds Black Lable G700 Pro, 100x12mm width front hub, 142x12mm width rear hub, 25mm inner width, 26mm height, Centerlock, material: carbon
WHEELSET	Reynolds Black Lable G700 Pro, 100x12mm width front hub, 142x12mm width rear hub, 25mm inner width, 26mm height, Centerlock, material: carbon
AXLES	MERIDA EXPERT TR, including removable lever, 6/4mm allen key
TYRES	Maxxis Rambler, 700x45C, fold, TR, EXO
WEIGHT	8.4 kg, weighed at frame size M

X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · DI2 READY · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · F-MOUNT · DISC COOLER · INTERNAL CLAMP · REMOVABLE F-MOUNT · WIRE PORT

SILEX 7000

BLACK (BRONZE/GOLD)



FRAME	SILEX CF2 II, material: carbon, 700x47C max. wheelsize, 100x12/142x12mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, M, L, XL
FORK	MERIDA SILEX II CF2, Tapered, material: carbon, 700x47C max. wheelsize
BRAKES	Shimano GRX820, Hydraulic disc
ROTORS	Shimano RT64, 180mm
HEADSET	MERIDA 8158
HANDLEBAR	MERIDA EXPERT GRII, material: aluminium, 400mm (XS-S) , 420mm (M) , 440mm (L/XL)
HANDLEBAR STEM	MERIDA TEAM CC III, material: aluminium, 31.8mm diameter, -6° stem angle, incl. MERIDA SMART MOUNT, 80 mm all sizes
GRIP	MERIDA ROAD Expert
DERAILLEUR (R)	Shimano GRX822
SHIFTERS	Shimano GRX820
SEAT POST	MERIDA EXPERT CC, 27.2mm diameter, 15mm setback, material: Carbon
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT SL, V-mount, incl. MERIDA minitool

CHAIN	Shimano M7100
CRANK	Shimano GRX820, 42 teeth, 170 mm-XS/S, 172,5 mm-M, 175 mm-L/XL
FREEWHEEL	Shimano CS-M7100, 11-51 teeth, 12 speed
BOTTOM BRACKET	Shimano SM-BBR60
WHEELSET	Easton EA70 AX, 100x12mm width front hub, 142x12mm width rear hub, 24mm inner width, 20mm height, Centerlock, material: aluminium
AXLES	MERIDA EXPERT TR, including removable lever, 6/4mm allen key
TYRES	Maxxis Rambler, 700x45C, fold, TR, EXO
WEIGHT	9.4 kg, weighed at frame size M

X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · DI2 READY · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · F-MOUNT · DISC COOLER · INTERNAL CLAMP · REMOVABLE F-MOUNT · WIRE PORT

SILEX 7000

GUNMETAL GREY (BLACK/TITAN)



FRAME	SILEX CF2 II, material: carbon, 700x47C max. wheelsize, 100x12/142x12mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, M, L, XL
FORK	MERIDA SILEX II CF2, Tapered, material: carbon, 700x47C max. wheelsize
BRAKES	Shimano GRX820, Hydraulic disc
ROTORS	Shimano RT64, 180mm
HEADSET	MERIDA 8158
HANDLEBAR	MERIDA EXPERT GRII, material: aluminium, 400mm (XS-S) , 420mm (M) , 440mm (L/XL)
HANDLEBAR STEM	MERIDA TEAM CC III, material: aluminium, 31.8mm diameter, -6° stem angle, incl. MERIDA SMART MOUNT, 80 mm all sizes
GRIP	MERIDA ROAD Expert
DERAILLEUR (R)	Shimano GRX822
SHIFTERS	Shimano GRX820
SEAT POST	MERIDA EXPERT CC, 27.2mm diameter, 15mm setback, material: Carbon
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT SL, V-mount, incl. MERIDA minitool

CHAIN	Shimano M7100
CRANK	Shimano GRX820, 42 teeth, 170 mm-XS/S, 172,5 mm-M, 175 mm-L/XL
FREEWHEEL	Shimano CS-M7100, 11-51 teeth, 12 speed
BOTTOM BRACKET	Shimano SM-BBR60
WHEELSET	Easton EA70 AX, 100x12mm width front hub, 142x12mm width rear hub, 24mm inner width, 20mm height, Centerlock, material: aluminium
AXLES	MERIDA EXPERT TR, including removable lever, 6/4mm allen key
TYRES	Maxxis Rambler, 700x45C, fold, TR, EXO
WEIGHT	9.4 kg, weighed at frame size M

X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · DI2 READY · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · F-MOUNT · DISC COOLER · INTERNAL CLAMP · REMOVABLE F-MOUNT · WIRE PORT

SILEX 4000

MATT BRONZE METAL (GOLD/BLACK)



FRAME	SILEX CF2 II, material: carbon, 700x47C max. wheelsize, 100x12/142x12mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, M, L, XL
FORK	MERIDA SILEX II CF2, Tapered, material: carbon, 700x47C max. wheelsize
BRAKES	Shimano GRX400, Hydraulic disc
ROTORS	Shimano RT10, 180mm
HEADSET	MERIDA 8158
HANDLEBAR	MERIDA EXPERT GRII, material: aluminium, 400mm (XS-S) , 420mm (M) , 440mm (L/XL)
HANDLEBAR STEM	MERIDA TEAM CC III, material: aluminium, 31.8mm diameter, -6° stem angle, 80 mm all sizes
GRIP	MERIDA ROAD Expert
DERAILLEUR (F)	Shimano GRX400
DERAILLEUR (R)	Shimano GRX400
SHIFTERS	Shimano GRX400
SEAT POST	MERIDA EXPERT CC, 27.2mm diameter, 15mm setback, material: Carbon
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA COMP SL, V-mount
CHAIN	KMC X10
CRANK	Shimano GRX600, 46-30 teeth, 170 mm-XS/S, 172,5 mm-M, 175 mm-L/XL
FREEWHEEL	Shimano CS-HG50, 11-36 teeth, 10 speed
RIM	MERIDA EXPERT SL II, 23mm inner width, 25mm height, material: aluminium, Tubeless ready (tubeless
HUBS	VP CLK170F / VP CLK270R, 100x12mm width front hub, 32 spoke holes, centerlock, 142x12mm width rear hub, 32 spoke holes, centerlock
AXLES	MERIDA EXPERT TR, including removable lever, 6/4mm allen key
TYRES	Maxxis Rambler, 700x45C, fold, TR, EXO




SILEX 4000

GUN METAL GREY (BLACK/TITAN)



FRAME	SILEX CF2 II, material: carbon, 700x47C max. wheelsize, 100x12/142x12mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, M, L, XL
FORK	MERIDA SILEX II CF2, Tapered, material: carbon, 700x47C max. wheelsize
BRAKES	Shimano GRX400, Hydraulic disc
ROTORS	Shimano RT10, 180mm
HEADSET	MERIDA 8158
HANDLEBAR	MERIDA EXPERT GRII, material: aluminium, 400mm (XS-S) , 420mm (M) , 440mm (L/XL)
HANDLEBAR STEM	MERIDA TEAM CC III, material: aluminium, 31.8mm diameter, -6° stem angle, 80 mm all sizes
GRIP	MERIDA ROAD Expert
DERAILLEUR (F)	Shimano GRX400
DERAILLEUR (R)	Shimano GRX400
SHIFTERS	Shimano GRX400
SEAT POST	MERIDA EXPERT CC, 27.2mm diameter, 15mm setback, material: Carbon
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA COMP SL, V-mount
CHAIN	KMC X10
CRANK	Shimano GRX600, 46-30 teeth, 170 mm-XS/S, 172,5 mm-M, 175 mm-L/XL
FREEWHEEL	Shimano CS-HG50, 11-36 teeth, 10 speed
RIM	MERIDA EXPERT SL II, 23mm inner width, 25mm height, material: aluminium, Tubeless ready (tubeless
HUBS	VP CLK170F / VP CLK270R, 100x12mm width front hub, 32 spoke holes, centerlock, 142x12mm width rear hub, 32 spoke holes, centerlock
AXLES	MERIDA EXPERT TR, including removable lever, 6/4mm allen key
TYRES	Maxxis Rambler, 700x45C, fold, TR, EXO



SILEX 700

DARK STRAWBERRY (GREY/RED)



FRAME	SILEX LITE II, material: aluminium, 700x47C max. wheelsize, 100x12/142x12mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, M, L, XL
FORK	MERIDA SILEX II CF2, Tapered, material: carbon, 700x47C max. wheelsize
BRAKES	Shimano GRX820, Hydraulic disc
ROTORS	Shimano RT64, 180mm, 160mm
HEADSET	MERIDA 8158
HANDLEBAR	MERIDA EXPERT GRII, material: aluminium, 400mm (XS-S) , 420mm (M) , 440mm (L/XL)
HANDLEBAR STEM	MERIDA TEAM CC III, material: aluminium, 31.8mm diameter, -6° stem angle, incl. MERIDA SMART MOUNT, 80 mm all sizes
GRIP	MERIDA ROAD Expert
DERAILLEUR (R)	Shimano GRX822
SHIFTERS	Shimano GRX820
SEAT POST	MERIDA EXPERT CC, 27.2mm diameter, 15mm setback, material: Carbon
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT SL, V-mount, incl. MERIDA minitool

CHAIN	Shimano M7100
CRANK	Shimano GRX820, 42 teeth, 170 mm-XS/S, 172,5 mm-M, 175 mm-L/XL
FREEWHEEL	Shimano CS-M7100, 11-51 teeth, 12 speed
BOTTOM BRACKET	Shimano SM-BBR60
WHEELSET	Easton EA70 AX, 100x12mm width front hub, 142x12mm width rear hub, 24mm inner width, 20mm height, Centerlock, material: aluminium
AXLES	MERIDA EXPERT TR, including removable lever, 6/4mm allen key
TYRES	Maxxis Rambler, 700x45C, fold, TR, EXO
WEIGHT	9.8 kg, weighed at frame size M



SILEX 700

BLACK (GREY/TITAN)



FRAME	SILEX LITE II, material: aluminium, 700x47C max. wheelsize, 100x12/142x12mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, M, L, XL
FORK	MERIDA SILEX II CF2, Tapered, material: carbon, 700x47C max. wheelsize
BRAKES	Shimano GRX820, Hydraulic disc
ROTORS	Shimano RT64, 180mm, 160mm
HEADSET	MERIDA 8158
HANDLEBAR	MERIDA EXPERT GRII, material: aluminium, 400mm (XS-S) , 420mm (M) , 440mm (L/XL)
HANDLEBAR STEM	MERIDA TEAM CC III, material: aluminium, 31.8mm diameter, -6° stem angle, incl. MERIDA SMART MOUNT, 80 mm all sizes
GRIP	MERIDA ROAD Expert
DERAILLEUR (R)	Shimano GRX822
SHIFTERS	Shimano GRX820
SEAT POST	MERIDA EXPERT CC, 27.2mm diameter, 15mm setback, material: Carbon
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT SL, V-mount, incl. MERIDA minitool

CHAIN	Shimano M7100
CRANK	Shimano GRX820, 42 teeth, 170 mm-XS/S, 172,5 mm-M, 175 mm-L/XL
FREEWHEEL	Shimano CS-M7100, 11-51 teeth, 12 speed
BOTTOM BRACKET	Shimano SM-BBR60
WHEELSET	Easton EA70 AX, 100x12mm width front hub, 142x12mm width rear hub, 24mm inner width, 20mm height, Centerlock, material: aluminium
AXLES	MERIDA EXPERT TR, including removable lever, 6/4mm allen key
TYRES	Maxxis Rambler, 700x45C, fold, TR, EXO
WEIGHT	9.8 kg, weighed at frame size M



SILEX 400

FALL GREEN (GREY/BLACK)



FRAME	SILEX LITE II, material: aluminium, 700x47C max. wheelsize, 100x12/142x12mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, M, L, XL
FORK	MERIDA SILEX II CF2, Tapered, material: carbon, 700x47C max. wheelsize
BRAKES	Shimano GRX400, Hydraulic disc
ROTORS	Shimano RT10, 180mm, 160mm
HEADSET	MERIDA 8158
HANDLEBAR	MERIDA EXPERT GRII, material: aluminium, 400mm (XS-S) , 420mm (M) , 440mm (L/XL)
HANDLEBAR STEM	MERIDA TEAM CC III, material: aluminium, 31.8mm diameter, -6° stem angle, 80 mm all sizes
GRIP	MERIDA ROAD Expert
DERAILLEUR (F)	Shimano GRX400
DERAILLEUR (R)	Shimano GRX400
SHIFTERS	Shimano GRX400
SEAT POST	MERIDA COMP CC, material: aluminium, 27.2mm diameter, 5mm setback
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA COMP SL, V-mount
CHAIN	KMC X10
CRANK	Shimano GRX600, 46-30 teeth, 170 mm-XS/S, 172,5 mm-M, 175 mm-L/XL
FREEWHEEL	Shimano CS-HG50, 11-36 teeth, 10 speed
RIM	MERIDA EXPERT SL II, 23mm inner width, 25mm height, material: aluminium, Tubeless ready (tubeless
HUBS	VP CLK170F / VP CLK270R, 100x12mm width front hub, 32 spoke holes, centerlock, 142x12mm width rear hub, 32 spoke holes, centerlock
AXLES	MERIDA EXPERT TR, including removable lever, 6/4mm allen key
TYRES	Maxxis Rambler, 700x45C, fold, TR, EXO



SILEX 400

BLACK (GREY/TITAN)



FRAME	SILEX LITE II, material: aluminium, 700x47C max. wheelsize, 100x12/142x12mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, M, L, XL
FORK	MERIDA SILEX II CF2, Tapered, material: carbon, 700x47C max. wheelsize
BRAKES	Shimano GRX400, Hydraulic disc
ROTORS	Shimano RT10, 180mm, 160mm
HEADSET	MERIDA 8158
HANDLEBAR	MERIDA EXPERT GRII, material: aluminium, 400mm (XS-S) , 420mm (M) , 440mm (L/XL)
HANDLEBAR STEM	MERIDA TEAM CC III, material: aluminium, 31.8mm diameter, -6° stem angle, 80 mm all sizes
GRIP	MERIDA ROAD Expert
DERAILLEUR (F)	Shimano GRX400
DERAILLEUR (R)	Shimano GRX400
SHIFTERS	Shimano GRX400
SEAT POST	MERIDA COMP CC, material: aluminium, 27.2mm diameter, 5mm setback
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA COMP SL, V-mount
CHAIN	KMC X10
CRANK	Shimano GRX600, 46-30 teeth, 170 mm-XS/S, 172,5 mm-M, 175 mm-L/XL
FREEWHEEL	Shimano CS-HG50, 11-36 teeth, 10 speed
RIM	MERIDA EXPERT SL II, 23mm inner width, 25mm height, material: aluminium, Tubeless ready (tubeless
HUBS	VP CLK170F / VP CLK270R, 100x12mm width front hub, 32 spoke holes, centerlock, 142x12mm width rear hub, 32 spoke holes, centerlock
AXLES	MERIDA EXPERT TR, including removable lever, 6/4mm allen key
TYRES	Maxxis Rambler, 700x45C, fold, TR, EXO



SILEX 200

CRAYON TEAL (BLACK/TEAL)



FRAME	SILEX LITE II, material: aluminium, 700x47C max. wheelsize, 100x12/142x12mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, M, L, XL
FORK	MERIDA SILEX II CF2, Tapered, material: carbon, 700x47C max. wheelsize
BRAKES	Promax DSK-330R, Mechanical disc
ROTORS	Promax 160G, 180mm, 160mm
HEADSET	MERIDA 8158
HANDLEBAR	MERIDA EXPERT GRII, material: aluminium, 400mm (XS-S) , 420mm (M) , 440mm (L/XL)
HANDLEBAR STEM	MERIDA COMP CC, material: aluminium, 31.8mm diameter, -6° stem angle, 80 mm all sizes
GRIP	MERIDA ROAD Comp
DERAILLEUR (F)	Shimano Sora
DERAILLEUR (R)	Shimano Sora, GS
SHIFTERS	Shimano Sora
SEAT POST	MERIDA COMP CC, material: aluminium, 27.2mm diameter, 5mm setback
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA COMP SL, V-mount
CHAIN	KMC M99
CRANK	FSA Omega, 48-32 teeth, 170 mm-XS/S, 172,5 mm-M, 175 mm-L/XL
FREEWHEEL	Shimano CS-HG200, 11-34 teeth, 9 speed
BOTTOM BRACKET	Shimano SM-BBR60
RIM	MERIDA COMP SL II, 23mm inner width, 24mm height, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	VP CLK170F / VP CLK270R, 100x12mm width front hub, 32 spoke holes, 6 bolt, 142x12mm width rear hub, 32 spoke holes, 6 bolt
AXLES	MERIDA EXPERT TR, including removable lever, 6/4mm allen key
TYRES	Maxxis Rambler, 700x45C, fold, TR, EXO

PROLITE 66 TRIPLE BUTTED ALUMINIUM · HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · DOWN TUBE EXIT · DI2 READY · F-MOUNT · C-MOUNT · DISC COOLER · WIRE PORT

SILEX 200

BLACK (GREY/TITAN)



FRAME	SILEX LITE II, material: aluminium, 700x47C max. wheelsize, 100x12/142x12mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, M, L, XL
FORK	MERIDA SILEX II CF2, Tapered, material: carbon, 700x47C max. wheelsize
BRAKES	Promax DSK-330R, Mechanical disc
ROTORS	Promax 160G, 180mm, 160mm
HEADSET	MERIDA 8158
HANDLEBAR	MERIDA EXPERT GRII, material: aluminium, 400mm (XS-S) , 420mm (M) , 440mm (L/XL)
HANDLEBAR STEM	MERIDA COMP CC, material: aluminium, 31.8mm diameter, -6° stem angle, 80 mm all sizes
GRIP	MERIDA ROAD Comp
DERAILLEUR (F)	Shimano Sora
DERAILLEUR (R)	Shimano Sora, GS
SHIFTERS	Shimano Sora
SEAT POST	MERIDA COMP CC, material: aluminium, 27.2mm diameter, 5mm setback
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA COMP SL, V-mount
CHAIN	KMC M99
CRANK	FSA Omega, 48-32 teeth, 170 mm-XS/S, 172,5 mm-M, 175 mm-L/XL
FREEWHEEL	Shimano CS-HG200, 11-34 teeth, 9 speed
BOTTOM BRACKET	Shimano SM-BBR60
RIM	MERIDA COMP SL II, 23mm inner width, 24mm height, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	VP CLK170F / VP CLK270R, 100x12mm width front hub, 32 spoke holes, 6 bolt, 142x12mm width rear hub, 32 spoke holes, 6 bolt
AXLES	MERIDA EXPERT TR, including removable lever, 6/4mm allen key
TYRES	Maxxis Rambler, 700x45C, fold, TR, EXO

PROLITE 66 TRIPLE BUTTED ALUMINIUM · HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · DOWN TUBE EXIT · DI2 READY · F-MOUNT · C-MOUNT · DISC COOLER · WIRE PORT



MERIDA.com