



**GALLIUM**PRO



color:  
carbon/red



clearcoat:  
matte/gloss



**ARGON 18**

2014 collection

# GALLIUM<sup>PRO</sup>

## Design Features



Optimal Balance, the perfect combination of light weight, rigidity and comfort is what guides Argon 18 through its design and development process.



Monocoque construction featuring Horizontal Dual System (HDS)

**Benefits:** Performance where you want it, comfort where you need it.



Innovative AFS GEOMETRY with BB-Drop of 75mm (lower bottom bracket and shorter headtube)

**Benefits:** AFS geometry ensures an easy, accurate fit & best possible position for people of all shapes and sizes while a lowered BB increases stability & handling-especially at high speeds.



One sku with 2 options, with internal cables or Di2

**Benefits:** No additional kits or parts required to convert so it can easily evolve with the rider's needs.



Integrated BB86 bottom bracket

**Benefits:** Standard developed for wider stiffer frames, provides overall better frame performance and less weight.



**NEW** 7050 HM carbon composite

**Benefits:** Advanced proprietary carbon fibre composite formula with all new lay-up enables and enhances our Optimal Balance concept.



**3 headtube heights integrated to every frame size for a race or relaxed fit**

**Benefits:** Simple & precise adjustment which provides increased front end rigidity of +5% at 15mm & +11% at 25mm.



**NEW Advanced Stiffness to Weight Ratio (SWR)**

**Benefits:** This entirely new frame design has achieved a superior SWR while still providing highly responsive power transfer, accurate handling and the remarkable comfort for which the Gallium Pro has become well known. Less weight but always Optimally Balanced.



**Ga31 Pro specific monocoque carbon fork** with Integrated fork crown race and carbon drop out.

**Benefits:** Built specifically for the frame it is paired with, our forks maximize OB-the perfect enhancement to every frame. Integrating the crown race allows us to eliminate extra parts while saving weight (350g).



**NEW ASP-6550 carbon seatpost**

Variable offset of 15 or 25 mm.

• 27.2 seatpost diameter

• 31.8 seat collar

**Benefits:** Flexible positioning for a custom fit (180g, 45g less than 2013 model) .

## Specs

• FSA No 62+3D (Bearing 1"1/4 Top 36°/45° & 1"1/2 Bottom, 36°/45°) + FSA TH-883 Compressor included


• Braze-on front derailleur compatible with compact chainrings

• BB86 bottom bracket

• Carbon drop out with replaceable forged rear derailleur hanger

• Weight: Frame 790 g\*, Fork 350 g

\* Includes medium frame, paint & clearcoat. Hardware (75g) is not included.



### Gallium Pro

Size	XXS*	XS*	S*	M*	L*	XL*
Classic	44-46	47-50	51-53	54-56	57-59	60-62
A cm	41.5	45.5	49	53	56.5	59.5
B deg	75.5	74.5	74	73.5	73	72.5
C deg	71	72	72.7	72.7	72.7	73
D cm	50.2	52	54	56	57.5	59.5
E cm	40.6	40.6	40.6	40.8	41	41
F cm	96	96	97	98	100	101.5
G cm	7.5	7.5	7.5	7.5	7.5	7.5
H1 cm	7.7	8.2	10.9	13.9	16.2	18.9
H2 cm	9.1	9.6	12.3	15.3	17.6	20.3
H3 cm	10.1	10.6	13.3	16.3	18.6	21.3
I cm	66	69	73	77	79	81.5

\* Sloping Top Tube



## ARGON 18





**GALLIUM**



color:  
carbon/white



clearcoat:  
matte/gloss



**ARGON 18**

2014 collection

# GALLIUM

## Design Features



Optimal Balance, the perfect combination of light weight, rigidity and comfort is what guides Argon 18 through its design and development process.



Monocoque construction featuring Horizontal Dual System (HDS)

**Benefits:** Performance where you want it, comfort where you need it.



Innovative AFS GEOMETRY with BB-Drop of 75mm (lower bottom bracket and shorter headtube)

**Benefits:** AFS geometry ensures an easy, accurate fit & best possible position for people of all shapes and sizes while a lowered BB increases stability & handling-especially at high speeds.



One sku with 2 options, with internal cables or Di2/EPs.

**Benefits:** No additional kits or parts required to convert so it can easily evolve with the rider's needs.



Integrated BB86 bottom bracket

**Benefits:** Standard developed for wider stiffer frames, provides overall better frame performance and less weight.



**NEW** 6100 HM carbon composite

**Benefits:** Advanced proprietary carbon fibre composite formula with all new lay-up enables and enhances our Optimal Balance concept.



**3 headtube heights integrated to every frame size for a race or relaxed fit**

**Benefits:** Simple & precise adjustment which provides increased front end rigidity of +5% at 15mm & +11% at 25mm.



**NEW Improved Stiffness to Weight Ratio (SWR)**

**Benefits:** The proven design carries forward as the previous generations of Gallium Pro/Gallium but with a new carbon fibre lay up. The new & improved Gallium has lost some weight while maintaining its amazing handling, stability & comfort characteristics. The Gallium is a Pro level rig by any standard.



**Ga31 specific monocoque carbon fork** with Integrated fork crown race.

**Benefits:** Built specifically for the frame it is paired with, our forks maximize OB-the perfect enhancement to every frame. Integrating the crown race allows us to eliminate extra parts while saving weight.



**ASP-6000 carbon seatpost**

Variable offset of 15 or 20 mm.

• 31.6 seatpost diameter

• 36.6 seat collar

**Benefits:** Flexible positioning for a custom fit.

## Specs

• FSA No 62+3D (Bearing 1"1/4 Top 36°/ 45° & 1"1/2 Bottom, 36°/45°) + FSA TH-883 Compressor included


• Braze-on front derailleur compatible with compact chainrings

• BB86 bottom bracket

• Forged drop-out with replaceable rear derailleur hanger

• Weight: Frame 965g, Fork 410g

\* Includes medium frame, paint & clearcoat. Hardware (85g) is not included.



### Gallium

Size	XXS*	XS*	S*	M*	L*	XL*
Classic	44-46	47-50	51-53	54-56	57-59	60-62
A cm	41.5	45	49	53.5	56	59
B deg	75.5	74.5	74	73.5	73	72.5
C deg	71	72	72.7	72.7	72.7	73
D cm	50.2	52	54	56	57.5	59.5
E cm	40.6	40.6	40.6	40.8	41	41
F cm	96	96	97	98	100	101.5
G cm	7.5	7.5	7.5	7.5	7.5	7.5
H1 cm	7.7	8.2	10.9	13.9	16.2	18.9
H2 cm	9.1	9.6	12.3	15.3	17.6	20.3
H3 cm	10.1	10.6	13.3	16.3	18.6	21.3
I cm	66	69	73	77	79	81.5

\* Sloping Top Tube



**ARGON 18**







**KRYPTON**



color:  
carbon



clearcoat:  
matte



**ARGON 18**

2014 collection

# KRYPTON

## Design Features



Optimal Balance, the perfect combination of light weight, rigidity and comfort is what guides Argon 18 through its design and development process.



Monocoque construction featuring Horizontal Dual System (HDS)

**Benefits:** Performance where you want it, comfort where you need it.



Innovative AFS GEOMETRY

**Benefits:** AFS geometry not only ensures an easy, accurate fit & best possible position for riders of all shapes and sizes but also provides superior & accurate handling.



**NEW** 5700 HM carbon composite

**Benefits:** Advanced proprietary carbon fibre composite formula with all new lay-up enables and enhances our Optimal Balance concept.



**NEW** One sku with 2 options, with internal cables or Di2.

**Benefits:** No additional kits or parts required to convert so it can easily evolve with the rider's needs.



**3 headtube heights integrated to every frame size for a race or relaxed fit**

**Benefits:** Simple & precise adjustment which provides increased front end rigidity of +5% at 15mm & +11% at 25mm.



**NEW Improved Stiffness to Weight Ratio (SWR)**

**Benefits:** Formerly the design of the Gallium Pro, the Krypton for 2014 continues on the value-performance tradition with many new exciting features. The weight reduction achieved through new carbon fibre formulation makes the Krypton more agile and augments its high-end ride qualities.



**Kr36 specific monocoque carbon fork**

**Benefits:** Built specifically for the frame it is paired with, our forks maximize OB-the perfect enhancement to every frame.



**NEW ASP-1500 carbon seatpost**


- 31.6 seatpost diameter
- 36.6 seat collar

**Benefits:** New seatpost with flexible positioning for a custom fit.

## Specs

- Bottom bracket shell with English thread
- FSA No 53-1+3D (Bearing 1"1/4 Top & Bottom, 36°/ 45°) + FSA TH-883 Compressor included
- Braze-on front derailleur compatible with compact chainrings
- Forged drop-out with replaceable rear derailleur hanger
- Weight: Frame 1195g, Fork 475g

\* Includes medium frame, paint & clearcoat. Hardware (70g) is not included.



### Krypton

Size	XXS*	XS*	S*	M*	L*	XL*
Classic	44-46	47-50	51-53	54-56	57-59	60-62
A cm	43	46.5	51.3	55	57.5	60
B deg	75.5	74.5	74	73.5	73	72.5
C deg	71	72	72.7	72.7	72.7	73
D cm	50	52	54	55.6	57.5	59.5
E cm	40.6	40.6	40.6	40.8	41	41
F cm	96.3	96.7	97.6	98.9	100	101
G cm	7	7	7	7	7	7
H1 cm	9.0	10.0	12.3	14.7	17.3	19.5
H2 cm	10.4	11.4	13.7	16.1	18.7	20.9
H3 cm	11.4	12.4	14.7	17.1	19.7	21.9
I cm	67.5	70.5	75	78	80	83

\* Sloping Top Tube



**ARGON 18**





**KRYPTON**



color:  
carbon/white



clearcoat:  
gloss



**ARGON 18**

2014 collection

# KRYPTON

## Design Features



Optimal Balance, the perfect combination of light weight, rigidity and comfort is what guides Argon 18 through its design and development process.



Monocoque construction featuring Horizontal Dual System (HDS)

**Benefits:** Performance where you want it, comfort where you need it.



Innovative AFS GEOMETRY

**Benefits:** AFS geometry not only ensures an easy, accurate fit & best possible position for riders of all shapes and sizes but also provides superior & accurate handling.



**NEW** 5700 HM carbon composite

**Benefits:** Advanced proprietary carbon fibre composite formula with all new lay-up enables and enhances our Optimal Balance concept.



**NEW** One sku with 2 options, with internal cables or Di2.

**Benefits:** No additional kits or parts required to convert so it can easily evolve with the rider's needs.



**3 headtube heights integrated to every frame size for a race or relaxed fit**

**Benefits:** Simple & precise adjustment which provides increased front end rigidity of +5% at 15mm & +11% at 25mm.



**NEW Improved Stiffness to Weight Ratio (SWR)**

**Benefits:** Formerly the design of the Gallium Pro, the Krypton for 2014 continues on the value-performance tradition with many new exciting features. The weight reduction achieved through new carbon fibre formulation makes the Krypton more agile and augments its high-end ride qualities.



**Kr36 specific monocoque carbon fork**

**Benefits:** Built specifically for the frame it is paired with, our forks maximize OB-the perfect enhancement to every frame.



**NEW ASP-1500 carbon seatpost**


- 31.6 seatpost diameter
- 36.6 seat collar

**Benefits:** New seatpost with flexible positioning for a custom fit.

## Specs

- Bottom bracket shell with English thread
- FSA No 53-1+3D (Bearing 1"1/4 Top & Bottom, 36°/ 45°) + FSA TH-883 Compressor included
- Braze-on front derailleur compatible with compact chainrings
- Forged drop-out with replaceable rear derailleur hanger
- Weight: Frame 1195g, Fork 475g

\* Includes medium frame, paint & clearcoat. Hardware (70g) is not included.



### Krypton

Size	XXS*	XS*	S*	M*	L*	XL*
Classic	44-46	47-50	51-53	54-56	57-59	60-62
A cm	43	46.5	51.3	55	57.5	60
B deg	75.5	74.5	74	73.5	73	72.5
C deg	71	72	72.7	72.7	72.7	73
D cm	50	52	54	55.6	57.5	59.5
E cm	40.6	40.6	40.6	40.8	41	41
F cm	96.3	96.7	97.6	98.9	100	101
G cm	7	7	7	7	7	7
H1 cm	9.0	10.0	12.3	14.7	17.3	19.5
H2 cm	10.4	11.4	13.7	16.1	18.7	20.9
H3 cm	11.4	12.4	14.7	17.1	19.7	21.9
I cm	67.5	70.5	75	78	80	83

\* Sloping Top Tube



**ARGON 18**





***RADON***



color:  
black



clearcoat:  
matte



**ARGON 18**

2014 collection



# RADON

## Design Features



Optimal Balance, the perfect combination of light weight, rigidity and comfort is what guides Argon 18 through its design and development process.



Main triangle featuring Horizontal Dual System (HDS)

**Benefits:** Performance where you want it, comfort where you need it.



Innovative AFS GEOMETRY

**Benefits:** AFS geometry not only ensures an easy, accurate fit & best possible position for riders of all shapes and sizes but also provides superior & accurate handling.



Triple butted 3000 Aluminum Thermo-Tech tubing

**Benefits:** Provides superb power transfer while keeping the weight low.



4050 HT carbon composite

**Benefits:** Our proprietary carbon fibre composite formula is specifically designed to enhance and benefit the OB concept.



### Smooth weld

**Benefits:** Clean lines at weld points, giving the look of a high end product at a great value.



### Carbon complete rear triangle

**Benefits:** Maintaining Optimal Balance by giving the rider the comfort of a Pro bike without the big price tag



### Ra86 specific carbon fork with alloy steerer

**Benefits:** Built specifically for the frame it is paired with, our forks maximize OB-the perfect enhancement to every frame.



### ASP-1500 carbon seatpost


- 31.6 seatpost diameter
- 36.6 seat collar

**Benefits:** New seatpost with flexible positioning for a custom fit.

## Specs

- Bottom bracket shell with English thread
- FSA Orbit IS-2 (w/15mm Top cover, bearing 1"1/8, 36°/ 45°) + FSA TH-875-1 star nut included
- Band type front derailleur: 34.9mm
- Forged drop-out with replaceable rear derailleur hanger
- Weight: Frame 1350g, Fork: 495g

\* Includes medium frame, paint & clearcoat. Hardware (70g) is not included.



### Radon

Size	XXS*	XS*	S*	M*	L*	XL*
Classic	43-46	47-50	51-53	54-55	57-59	60-62
A	cm 41	46	51	54	57	60
B	deg 75.5	75	74	73.5	73	72.5
C	deg 71	72	72.7	72.7	72.7	73
D	cm 50	52	54	55.5	57.5	59.5
E	cm 40.6	40.6	40.6	40.8	41	41
F	cm 96.1	96.7	97.2	98.5	100	100.7
G	cm 7	7	7	7	7	7
H	cm 9.8	10.8	12.8	15.6	18.2	21
I	cm 66.4	69.4	74.5	77	80	82

\* Sloping Top Tube



# ARGON 18





**E-118**



color:  
carbon/red



clearcoat:  
matte/gloss



**ARGON 18**

2014 collection

# E-118

## Design Features



Optimal Balance, the perfect combination of light weight, rigidity and comfort is what guides Argon 18 through its design and development process.



Monocoque construction featuring Horizontal Dual System (HDS)

**Benefits:** Performance where you want it, comfort where you need it.



Innovative AFS-Tri geometry with BB-Drop of 75mm (lower bottom bracket)

**Benefits:** AFS tri-specific geometry addresses the biggest source of drag; the rider. The AFS approach ensures the rider can maintain a proper aero position longer through an easy, accurate fit for people of all shapes and sizes. The lowered BB provides more stability & better handling-especially at high speeds.



One sku with 2 options, with internal cables or Di2/EPS.

**Benefits:** No additional kits or parts required to convert so it can easily evolve with the rider's needs.



Integrated BB86 bottom bracket

**Benefits:** Standard developed for wider stiffer frames, provides overall better frame performance and less weight.



Aero-frame optimized by virtual windtunnel development (CFD):

**Benefits:** Using a virtual rider in motion during the design phase allowed Argon 18 Engineers to achieve the optimal aerodynamic profile.



7105 HM carbon composite

**Benefits:** Our proprietary carbon fibre composite formula is specifically designed to enhance and benefit the OB concept.



**ONENESS 2.0 Concept** E118-specific monocoque fork with integrated adjustable stem, reversible handlebars & headset

**Benefits:** Simplified cockpit offering superior fit options with 65mm/95mm stem adjustability & modular arm rests on each frame size. The ONENESS design also ensures cockpit rigidity is maximized.



**AHB7500 reversible carbon handlebar**

**Benefits:** 10cm of height adjustment for armrests and TT-extensions (2 sets), offering a custom fit for every rider.



**Argon 18 exclusive integrated aero brakes**

**Benefits:** More responsive braking with simplified adjustment and superior aero profile.



**E118 monocoque carbon fork** with aero steerer and integrated fork crown race

**Benefits:** Built specifically for the frame it is paired with, our forks maximize OB-the perfect enhancement to every frame. The E118's is lighter and more aerodynamic than previous models.



**2WAYPOST**

**ASP-7500 reversible (76°/78°) carbon seatpost**

**Benefits:** TT or Tri fit: flexible positioning for each type of rider with a newly designed, lighter & simpler seatpost clamp.

## Specs

- FSA EE079 (bearing 1"1/8, 36°/45°)+ONENESS 2.0 specific compressor included

- Braze-on front derailleur compatible with compact chainrings


- BB86 bottom bracket

- Forged drop-out with replaceable rear derailleur hanger

- ASP-7500 reversible (76°/78°) carbon seatpost (weight: 275g uncut)

- Weight: Frame 1235g, Fork -system integrated-635g

\* Includes medium frame, paint & clearcoat. Hardware (80g) is not included.



**ARGON 18**





**E-116**



color:  
black/white



clearcoat:  
matte/gloss



**ARGON 18**

2014 collection



# E-116

## Design Features



Optimal Balance, the perfect combination of light weight, rigidity and comfort is what guides Argon 18 through its design and development process.



Monocoque construction featuring Horizontal Dual System (HDS)

**Benefits:** Performance where you want it, comfort where you need it.



Innovative AFS-Tri geometry with BB-Drop of 75mm (lower bottom bracket)

**Benefits:** AFS tri-specific geometry addresses the biggest source of drag; the rider. The AFS approach ensures the rider can maintain a proper aero position longer through an easy, accurate fit for people of all shapes and sizes. The lowered BB provides more stability & better handling-especially at high speeds.



One sku with 2 options, with internal cables or Di2/EPs.

**Benefits:** No additional kits or parts required to convert so it can easily evolve with the rider's needs.



Integrated BB86 bottom bracket

**Benefits:** Standard developed for wider stiffer frames, provides overall better frame performance and less weight.



Aero-frame optimized by virtual windtunnel development (CFD)

**Benefits:** Using a virtual rider in motion during the design phase allowed Argon 18 Engineers to achieve the optimal aerodynamic profile.



6105 HM carbon composite

**Benefits:** Our proprietary carbon fibre composite formula is specifically designed to enhance and benefit the OB concept.



**3 headtube heights integrated to every frame size for a race or relaxed fit**

**Benefits:** Simple & precise adjustment which provides increased front end rigidity of +5% at 15mm & +11% at 25mm.



**Argon 18 exclusive integrated aero brakes**

**Benefits:** More responsive braking and superior aero profile



**E116 monocoque aero carbon fork**

**Benefits:** Built specifically for the frame it is paired with, our forks maximize OB-the perfect enhancement to every frame. The E116's is lighter & more aerodynamic than previous models.



**2WAYPOST**

**ASP-7000 reversible (76°/78°) carbon seatpost**

**Benefits:** TT or Tri fit: flexible positioning for each type of rider.



**Argon 18 exclusive lightweight seatpost clamp**

**Benefits:** Newly designed lighter & simpler seat clamp saving weight & enhancing simplicity.

## Specs

- FSA Orbit IS-2+3D (w/6.5mm Top cover, bearing 1"1/8, 36°/45°) + FSA TH-883 Compressor included

- Braze-on front derailleur compatible with compact chainrings


- BB86 bottom bracket

- Forged drop-out with replaceable rear derailleur hanger

- ASP-7000 reversible (76°/78°) carbon seatpost (weight: 275g uncut)

- Weight: Frame 1425g, Fork 495g

\* Includes medium frame, paint & clearcoat. Hardware (80g) is not included.



**ARGON 18**







**E-112**



color:  
carbon



clearcoat:  
matte



**ARGON 18**

2014 collection

# E-112

## Design Features



Optimal Balance, the perfect combination of light weight, rigidity and comfort is what guides Argon 18 through its design and development process.



Monocoque construction featuring Horizontal Dual System (HDS)

**Benefits:** Performance where you want it, comfort where you need it.



Innovative AFS-Tri geometry

**Benefits:** AFS tri-spec geometry addresses the biggest source of drag; the rider. The AFS approach ensures the rider can maintain a proper aero position longer through an easy, accurate fit for people of all shapes and sizes.



**3 headtube heights integrated to every frame size for a race or relaxed fit**

**Benefits:** Simple & precise adjustment which provides increased front end rigidity of +5% at 15mm & +11% at 25mm.



**E112 monocoque aero carbon fork**

**Benefits:** Built specifically for the frame it is paired with, our forks maximize OB-the perfect enhancement to every frame.



**2WAYPOST**

**ASP-4000 reversible (76°/78°) carbon seatpost**

**Benefits:** TT or Tri fit: flexible positioning for each type of rider.



5655 HM carbon composite

**Benefits:** Our proprietary carbon fibre composite formula is specifically designed to enhance and benefit the OB concept.

## Specs

- FSA Orbit IS-2+3D (w/6.5mm Top cover, bearing 1"1/8, 36°/ 45°) + FSA TH-883 Compressor included.


- Bottom bracket shell with English thread

- Braze-on front derailleur compatible with compact chainrings

- Forged drop-out with replaceable rear derailleur hanger

- Weight: Frame 1605g, Fork 545g

\* Includes medium frame, paint & clearcoat. Hardware (115g) is not included.



**ARGON 18**





**E-80**



color:  
black



clearcoat:  
matte



**ARGON 18**

2014 collection

# E-80

## Design Features



Optimal Balance, the perfect combination of light weight, rigidity and comfort is what guides Argon 18 through its design and development process.



Monocoque construction featuring Horizontal Dual System (HDS)

**Benefits:** Performance where you want it, comfort where you need it.



Innovative AFS-Tri geometry

**Benefits:** AFS tri-spec geometry addresses the biggest source of drag; the rider. The AFS approach ensures the rider can maintain a proper aero position longer through an easy, accurate fit for people of all shapes and sizes.



Triple butted 3005 Aluminum Thermo-Tech tubing

**Benefits:** Provides optimal power transfer while keeping the weight low.




**Rear brake caliper under the bottom bracket**

**Benefits:** A better location to improve the aerodynamic profile.



**Front brake caliper behind fork**

**Benefits:** A better location to improve the aerodynamic profile.



**Smooth weld**

**Benefits:** Clean lines at weld points, better aero profile & gives the look of a high end product at a great value.



**Internal cable routing** (rear brake and derailleur cables)

**Benefits:** Designed to provide a superior aerodynamic profile.



**E80 aero carbon fork** with alloy steerer

**Benefits:** Built specifically for the frame it is paired with, our forks maximize OB-the perfect enhancement to every frame.



**2WAYPOST**

**ASP-4000 reversible (76°/78°) carbon aero seatpost**

**Benefits:** TT or Tri fit: flexible positioning for each type of rider.

## Specs

- FSA Orbit IS-2 (w/6.5mm Top cover, bearing 1"1/8, 36°/ 45°) + FSA Orbit TH-875-1 star nut included


- Bottom bracket shell with English thread

- Braze-on front derailleur compatible with compact chainrings

- Forged drop-out with replaceable rear derailleur hanger

- Weight : Frame 1640g, Fork 625g

\* Includes medium frame, paint & clearcoat. Hardware (100g) is not included.



### E-80

Size	XS*	S	M	L
Classic	47-49	50-53	54-56	57-60
A cm	46	53	55	57
B deg	76	76	76	76
C deg	72.5	72.5	72.5	72.5
D cm	52	53.5	54.5	56
E cm	40	40	40	40
F cm	96.9	98.3	99.6	101.1
G cm	7	7	7	7
H cm	8.5	9.5	11.4	14
I cm	69.5	74.7	76.6	79

\* Sloping Top Tube



**ARGON 18**





**ELECTRON** PRO



color:  
noir/red



clearcoat:  
matte/gloss



**ARGON 18**

2014 collection



# ELECTRON<sup>PRO</sup>

## Design Features



Optimal Balance, the perfect combination of light weight, rigidity and comfort is what guides Argon 18 through its design and development process.



Monocoque construction featuring Horizontal Dual System (HDS)  
**Benefits:** Performance where you want it, comfort where you need it.



Track Specific AFS Geometry  
**Benefits:** AFS geometry not only ensures an easy, accurate fit & best possible position for riders of all shapes and sizes but also provides superior & accurate handling.



7051 HM carbon composite  
**Benefits:** Our proprietary carbon fibre composite formula is specifically designed to enhance and benefit the OB concept.



**3 headtube heights integrated to every frame size for a race or relaxed fit**  
**Benefits:** Simple & precise adjustment which provides increased front end rigidity of +5% at 15mm & +11% at 25mm.



**E99 monocoque aero carbon fork**  
**Benefits:** Built specifically for the frame it is paired with, our forks maximize OB-the perfect enhancement to every frame.




**2WAYPOST**  
**ASP-4500 reversible (76°/78°) carbon seatpost**  
**Benefits:** Flexible positioning for each type of rider.

## Specs

- Bottom bracket shell with English thread
- FSA Orbit IS-2+3D (w/6.5mm Top cover, bearing 1"1/8, 36°/ 45°) + FSA TH-883 Compressor included
- Alloy drop-outs with replaceable stainless steel inserts
- Stainless steel integrated chain tensioner included
- Weight: Frame 1550g, Fork 550g

\* Includes medium frame, paint & clearcoat.  
Hardware (75g) is not included.



### ElectronPro

Size	XS*	S	M	L
Classic	47-50	51-53	54-56	57-60
A cm	49.5	55.5	59	61
B deg	76	76	76	76
C deg	72.5	72.5	72.5	72.5
D cm	52	53.5	54.7	56
E cm	39	39	39	39
F cm	96.9	98.3	99.6	101.1
G cm	5.5	5.5	5.5	5.5
H1 cm	8.5	9.5	11.4	13.8
H2 cm	9.9	10.9	12.8	15.2
H3 cm	10.9	11.9	13.8	16.2
I cm	71.5	75.9	77.9	80.4

\* Sloping Top Tube



## ARGON 18





***ELECTRON***



color:  
black



clearcoat:  
matte



**ARGON 18**

2014 collection

# ELECTRON

## Design Features



Optimal Balance, the perfect combination of light weight, rigidity and comfort is what guides Argon 18 through its design and development process.



Streamlined main triangle featuring Horizontal Dual System (HDS)

**Benefits:** Performance where you want it, comfort where you need it.



Track Specific AFS Geometry

**Benefits:** AFS geometry not only ensures an easy, accurate fit & best possible position for riders of all shapes and sizes but also provides superior & accurate handling.



Triple butted 3001 Aluminum Thermo-Tech tubing

**Benefits:** Provides optimal power transfer while maintaining light weight.



### Smooth weld

**Benefits:** Clean lines at weld points, giving the look of a high end product at a great value.




### E99 aero carbon fork with alloy steerer

**Benefits:** Built specifically for the frame it is paired with, our forks maximize OB-the perfect enhancement to every frame.

## Specs

- FSA Orbit IS-2 (w/6.5mm Top cover, bearing 1"1/8, 36°/ 45°) + FSA TH-875-1 star nut included
- Bottom bracket shell with English thread
- 27.2 seatpost diameter
- 31.8 seat collar
- Alloy drop-outs with replaceable steel inserts
- Weight: Frame 1565g, Fork 630g

\* Includes medium frame, paint & clearcoat. Hardware (75g) is not included.



### Electron

Size	XS*	S	M	L
Classic	46-49	50-53	54-56	57-59
A cm	41	51	54	57
B deg	76	75	74.5	74
C deg	74	74.5	74.5	74.5
D cm	50	52	54	56
E cm	38.3	38.3	38.3	38.3
F cm	92.2	93.7	94.7	96.1
G cm	4.5	4.5	4.5	4.5
H cm	9	10	12.5	15
I cm	67	75.5	78	80.3

\* Sloping Top Tube



# ARGON 18

