



ROAD » ENDUROAD

GRADE CARBON ULTEGRA



SIZES	⇒ 51 (XS), 53 (S), 55 (M), 56 (L), 58 (XL), 60 (XXL)
COLORS (CODE)	☞ Matte Raw
FRAME	△ All New G'T EnduRoad carbon frame and fork, disc specific triple triangle with Tapered head tube, full carbon fork, PFBB30 bottom bracket, removable fender bridge
FORK	↑ G'T Carbon with tapered 1 1/8-1 1/4" threadless Carbon steerer, disc specific, 15mm thru axle
CRANKSET	⊗ Shimano Ultegra 52/36 with Praxis Works PF30 BB adapter
BOTTOM BRACKET	⇐ Praxis Works PF30 BB adapter
PEDALS	⊞ N/A
DERAILLEUR	↗ (F) Shimano Ultegra braze on, (R) Shimano Ultegra 11spd
SHIFTERS	⊕ Shimano Ultegra STI 11spd
REAR COGS	▶ Shimano 11spd 11-32
CHAIN	○ KMC x-11
RIMS	○ Stans No Tubes Grail Disc specific Road 28h
TIRES	∞ Continental Grand Sport Race 700x28c Folding, 180 tpi Folding
HUBS	⇌ (F) DT Swiss 240 sealed bearing, centerlock, 15mm thru-axle, (R) DT Swiss 240 sealed bearing, centerlock, 135 x 9mm

SPOKES	✱ 15g Stainless Steel
NIPPLES	✱ Brass CP
BRAKES	↻ (F) Shimano R685 hydraulic w/cooling fins, 160mm IceTech centerlock rotors, (R) Shimano R685 hydraulic w/cooling fins, 160mm IceTech centerlock rotors
BRAKE LEVERS	☞ Shimano BR-R685
HANDLEBARS	~ New GT DropTune Ultra Light double butted 2014 alloy bar with 14degree flair
STEM	☞ New design 3D forged alloy SL
GRIPS	☞ Black Marble Cork
HEADSET	⊗ Integrated FSA sealed bearing
SADDLE	☞ Fizik Aliante VS Mg
SEAT POST	↑ FSA K-Force Light carbon 27.2, 20mm set back
SEAT CLAMP	☞ New Alloy blk ano



ROAD » ENDUROAD

GRADE CARBON 105



SIZES	⇒ 51 (XS), 53 (S), 55 (M), 56 (L), 58 (XL), 60 (XXL)
COLORS (CODE)	☞ Matte Trans Black
FRAME	↗ All New GT EnduRoad carbon frame and fork, disc specific triple triangle with Tapered head tube, full carbon fork, PFBB30 bottom bracket, removable fender bridge
FORK	↑ GT Carbon with tapered 1 1/8-1 1/4" Carbon steerer, disc specific, 15mm thru axle
CRANKSET	⚙ Shimano 105 52/36
BOTTOM BRACKET	⇌ Praxis Works PF30 BB adapter
PEDALS	⚡ N/A
DERAILLEUR	↗ (F) Shimano 105 braze on, (R) Shimano 105 11spd
SHIFTERS	⊕ Shimano 105 STI 11spd
REAR COGS	▸ Shimano 105 11spd 11-32
CHAIN	○ KMC X11
RIMS	○ Stans No Tubes Grail Disc specific Road 28h
TIRES	∞ Continental Grand Sport Race 700x28c, 180 tpi
HUBS	⇄ (F) Formula 4 bearing sealed, centerlock 15mm thru-axle 28h, (R) Formula 4 bearing sealed, centerlock, 135 x 9mm

SPOKES	✱ 15g Stainless Steel
NIPPLES	✱ Brass CP
BRAKES	⌘ (F) Shimano R685 hydraulic w/cooling fins, 160mm IceTech centerlock rotors, (R) Shimano R685 hydraulic w/cooling fins, 160mm IceTech centerlock rotors
BRAKE LEVERS	↘ Shimano BR-R685
HANDLEBARS	~ New GT DropTune Super Light double butted 6061 alloy bar with 14degree flair
STEM	⌘ New design 3D forged alloy SL
GRIPS	☞ Black Marble Cork
HEADSET	⊗ Integrated FSA sealed bearing
SADDLE	▷ Fizik Aliante VS Mg
SEAT POST	↑ FSA SL-K carbon 27.2, 20mm set back
SEAT CLAMP	⊙ New Alloy blk ano



ROAD » ENDUROAD

GRADE ALLOY X



SIZES	⇒	51 (XS), 53 (S), 55 (M), 56 (L), 58 (XL), 60 (XXL)
COLORS (CODE)	☞	Matte Grey
FRAME	↗	Grade double butted alloy frame with smooth welds, hydroformed (TT,DT), Tapered 1 1/8-1 1/4" headtube, threaded
FORK	⋈	GT Carbon with tapered 1 1/8-1 1/4" threadless Carbon steerer, disc specific, 15mm thru axle
CRANKSET	⊕	FSA Omega Mega EXO Semi-Compact 52alloy/36alloy
BOTTOM BRACKET	⊖	FSA Sealed Cartridge
PEDALS	⊞	Low Profile Nylon w/ Toe Clips
DERAILLEUR	↗	(F) Shimano 105, (R) Shimano 105
SHIFTERS	⊕	Shimano BR-R685
REAR COGS	↗	Shimano 105 11spd 11-32
CHAIN	○	KMC X11
RIMS	○	Jalco CR435 disc specific road 22mm tall profile
TIRES	⊞	Continental Ultra Sport II 700 x 28 180tpi, wire bead
HUBS	⊞	(F) Formula Ultralight 6 bolt disc sealed 28h, (R) Formula Ultra light 6 bolt disc sealed cassette 32h

SPOKES	✱	15g stainless steel
NIPPLES	✱	Brass CP
BRAKES	↗	(F) Shimano R685 hydraulic w/cooling fins, 160mm IceTech centerlock rotors, (R) Shimano R685 hydraulic w/cooling fins, 160mm IceTech centerlock rotors
BRAKE LEVERS	☞	Shimano BR-R685
HANDLEBARS	~	New GT DropTune Ultra Light double butted 6061 alloy bar with 14degree flair
STEM	☞	GT Design 3D forged 6061, 4 bolt face plate
GRIPS	☞	Velo Cork
HEADSET	⊞	Integrated FSA sealed bearing
SADDLE	☞	New GT Bio-Morphic ROAD dual density base
SEAT POST	⋈	two bolt aluminum
SEAT CLAMP	☞	New Alloy blk ano



ROAD » ENDUROAD

GRADE ALLOY 105



SIZES	⇒ 51 (XS), 53 (S), 55 (M), 56 (L), 58 (XL), 60 (XXL)
COLORS (CODE)	☐ Matte Grey
FRAME	△ NEW Grade Double Butted Triple Triangle™ alloy frame with smooth welds, hydroformed (TT,DT), tapered 1 1/8 - 1 1/4" HT
FORK	↑ Grade Carbon 1 1/8-1 1/4" threadless alum steerer
CRANKSET	⊗ FSA Vero Compact 50/36
BOTTOM BRACKET	⇌ FSA Scaled Cartridge
PEDALS	⊞ Low Profile Nylon w/ Toe Clips
DERAILLEUR	↗ (F) Shimano 105, (R) Shimano 105
SHIFTERS	⊕ Shimano 105 STI 11spd
CASSETTE	➤ Shimano 105 11spd 11-32
CHAIN	○ KMC X11
RIMS	○ Alex ATD470 disc specific road 22mm tall profile
TIRES	⋯ Continental Ultra Sport II 700 x 28 180tpi, wire bead
HUBS	⇌ (F) Formula Ultralight 6 bolt disc sealed 28h, (R) Formula Ultra light 6 bolt disc sealed cassette 32h

SPOKES	✱ 15g stainless steel
NIPPLES	✱ Brass CP
BRAKES	↗ Tektro Hyrd hydraulic, 160mm rotor F/R
BRAKE LEVERS	☑ Shimano 105 STI 11spd
HANDLEBARS	~ New GT DropTune Ultra Light double butted 6061 alloy bar with 14degree flair
STEM	☞ GT Design 3D forged 6061, 4 bolt face plate
GRIPS	☞ Velo Cork
HEADSET	⊗ Integrated FSA sealed bearing
SADDLE	➤ New GT Bio-Morphic ROAD dual density base
SEAT POST	↑ Two bolt aluminum
SEAT CLAMP	☞ New Alloy - Black Ano



ROAD » ENDUROAD

GRADE ALLOY TIAGRA



SIZES	⇒ 51 (XS), 53 (S), 55 (M), 56 (L), 58 (XL), 60 (XXL)
COLORS (CODE)	☐ Gloss White
FRAME	△ NEW Grade Double Butted Triple Triangle™ alloy frame with smooth welds, hydroformed (TT,DT)
FORK	↑ Grade Carbon 1 1/8-1 1/4" threadless alum steerer
CRANKSET	⊗ FSA Vero Compact 50/34
BOTTOM BRACKET	⊖ FSA Sealed Cartridge
PEDALS	⊞ Low Profile Nylon w/ Toe Clips
DERAILLEUR	↗ (F) Shimano Tiagra, (R) Shimano Tiagra 10spd
SHIFTERS	⊕ Shimano Tiagra STI 10 spd
CASSETTE	▸ Shimano Tiagra 10sod 12-28
CHAIN	○ KMC X10 10spd
RIMS	○ Alex ATD470 disc specific road 22mm tall profile
TIRES	⋯ Continental Ultra Sport II 700 x 28 180tpi, wire bead
HUBS	⇄ (F) Formula 6 bolt disc sealed 28h, (R) Formula 6 bolt disc sealed cassette 32h

SPOKES	✱ 15g stainless steel
NIPPLES	✱ Brass CP
BRAKES	☒ Tektro Spyre mechanical disc road brake, 160mm rotor F/R
BRAKE LEVERS	☑ Shimano Tiagra 10 spd STI
HANDLEBARS	~ New GT DropTune Ultra Light double butted 6061 alloy bar with 14degree flair
STEM	☞ GT Design 3D forged 6061, 4 bolt face plate
GRIPS	☞ Velo Cork
HEADSET	⊗ Integrated TH sealed bearing
SADDLE	☞ New GT Bio-Morphic ROAD dual density base
SEAT POST	↑ Two bolt aluminum
SEAT CLAMP	☞ New Alloy - Black Ano



ROAD » ENDUROAD

GRADE ALLOY SORA



SIZES	⇒ 51 (XS), 53 (S), 55 (M), 56 (L), 58 (XL), 60 (XXL)
COLORS (CODE)	☐ Matte Navy
FRAME	△ Grade Double Butted Triple Triangle™ alloy frame with smooth welds, hydroformed (TT,DT),
FORK	↑ Grade Carbon 1 1/8-1 1/4" threadless alum steerer
CRANKSET	⊖ FSA Vero Compact 50/34
BOTTOM BRACKET	⇌ FSA Sealed Cartridge
PEDALS	⊞ Low Profile Nylon w/ Toe Clips
DERAILLEUR	↗ (F) Shimano FD 3500 (R) Shimano RD3500 Sora 9spd
SHIFTERS	⊕ Shimano RD3500 Sora Sti
CASSETTE	▸ Sun Race 9spd 11-28
CHAIN	○ KMC X9
RIMS	○ Alex ATD470 disc specific road 22mm tall profile
TIRES	⋯ Kenda Kwest 700 x 28 30tpi, wire bead
HUBS	⇌ (F) Formula 6 bolt disc sealed 28h, (R) Formula 6 bolt disc sealed cassette 32h

SPOKES	✱ 15g stainless steel
NIPPLES	✱ Brass CP
BRAKES	⌘ Bengal MB-7000t Mechanical disc brake, 160mm rotor F/R
BRAKE LEVERS	↘ Shimano RD3500 Sora STI
HANDLEBARS	~ New GT DropTune Ultra Light double butted 6061 alloy bar with 14degree flair
STEM	⌘ GT Design 3D forged 6061, 4 bolt face plate
GRIPS	☞ Velo Cork
HEADSET	⊗ Integrated FSA sealed bearing
SADDLE	▷ New GT Bio-Morphic ROAD dual density base
SEAT POST	↑ Two bolt aluminum
SEAT CLAMP	⊖ New Alloy - Black Ano



ROAD » ENDUROAD

GRADE ALLOY CLARIS



SIZES	⇒ 51 (XS), 53 (S), 55 (M), 56 (L), 58 (XL), 60 (XXL)
COLORS (CODE)	☐ Matte Navy
FRAME	△ NEW Grade Triple Triangle™ alloy frame with smooth welds, hydroformed (TT,DT)
FORK	↑ Grade Carbon 1 1/4-1 1/8" threadless alum steerer
CRANKSET	⊖ FSA Tempo Compact 50/34
BOTTOM BRACKET	⇌ FSA Sealed Cartridge
PEDALS	⊞ Low Profile Nylon w/ Toe Clips
DERAILLEUR	↗ (F) Shimano 2400 Claris, (R) Shimano 2400 Claris 8spd
SHIFTERS	⊕ Shimano 2400 Claris Sti
CASSETTE	▸ Sun Race 8spd 12-25
CHAIN	○ KMC 8spd
RIMS	○ Alex ATD470 disc specific road 22mm tall profile
TIRES	⋯ Kenda Kwest 700 x 28 30tpi, wire bead
HUBS	⇌ (F) Formula 6 bolt disc sealed 28h, (R) Formula 6 bolt disc sealed cassette 32h

SPOKES	✱ 15g stainless steel
NIPPLES	✱ Brass CP
BRAKES	☒ Bengal MB-7000t Mechanical disc brake, 160mm rotor F/R
BRAKE LEVERS	☑ Shimano 2400 Claris STI
HANDLEBARS	~ New GT DropTune Ultra Light double butted 6061 alloy bar with 14degree flair
STEM	☞ GT Design 3D forged 6061, 4 bolt face plate
GRIPS	☞ Velo Cork
HEADSET	⊗ Integrated FSA sealed bearing
SADDLE	▷ New GT Bio-Morphic ROAD dual density base
SEAT POST	↑ Two bolt aluminum
SEAT CLAMP	☞ New Alloy - Black Ano