



MOUNTAIN » XC

HELION CARBON TEAM

27.5
550B

SIZES	⇒ S, M, L, XL
COLORS (CODE)	☐ Matte Raw/Yellow
FRAME	☑ COR XC Philosophy, FOC Ultra Carbon Frame, 110mm Travel Independent Drivetrain® 27.5 AOS Suspension System w/ Forged Linkage, Pivots, 1 1/8"-1 1/2" Integrated Head Tube, and 12 x 142mm Maxle Dropouts
FORK	↑ Fox 32 FLOAT 27.5 CTD FIT w/Adjust Kashima, 110mm Travel, 15QR, w/ FIT Damper, Lockout & Rebound Adjust, Tapered Alloy Steerer
REAR SHOCK	☐ Fox Racing Shox Float CTD Remote BV w/Adjust Kashima, 6.5"x1.5" Air Shock, w/Rebound Adjust & Remote Lockout
CHAIN DEVICE	☐ (F) e.thirteen XCX+ High Direct Mount,
CRANKSET	☐ RaceFace Next SL Carbon, 32T, Narrow Wide
BOTTOM BRACKET	☐ RaceFace
PEDALS	☐ N/A
DERAILLEUR	☑ (R) Shimano XTR Shadow Plus, Direct Mount, RD-M9000
SHIFTERS	☑ Shimano XTR, SL-M9000, Rapid Fire, Right Side Only
REAR COGS	☑ Shimano XTR, CS-M9000, 11-Speed, 11-40T
CHAIN	☐ Shimano CN-HG90011, 11-speed
RIMS	☐ Stan's NoTubes Crest, ZTR Tubeless, 32H
TIRES	☑ (F) Continental X-King 27.5x2.2", Folding, (R) Continental X-King 27.5x2.2", Folding
HUBS	☑ (F) DT Swiss 240S, Centerlock, 15x100mm Thru Axle, (R) DT Swiss 240S, Centerlock, 12x142mm Thru Axle

SPOKES	✱ DT Competition, 1.8/1.6 Stainless, Black
NIPPLES	✱ DT Alloy
BRAKES	☑ (F) Shimano XTR, BR-M9000 w/Metallic Pads, 180mm SM-RT99 Centerlock IceTech Rotor, (R) Shimano XTR, BR-M9000 w/Metallic Pads, 180mm SM-RT99 Centerlock IceTech Rotor
BRAKE LEVERS	☑ Shimano XTR, BL-M9000
HANDLEBARS	☑ RaceFace Next 35, 740mm Width, 10mm Rise
STEM	☑ RaceFace Turbine 35, 1 1/8" Threadless, 0° Rise, 35mm Clamp, 80mm
GRIPS	☑ GT Statement Single Lock-on Grips
HEADSET	☑ Orbit C-40-ACB
SADDLE	☑ fizik Tundra3, kium Rail
SEAT POST	☑ RaceFace Next, 31.6x375mm
SEAT CLAMP	☑ All Terra Alloy, 34.9mm



MOUNTAIN » XC

HELION CARBON PRO

275
5503ALL NEW
FOR MY15

SIZES	⇒ S, M, L, XL
COLORS (CODE)	☐ Matte Black/Blue
FRAME	☑ COR XC Philosophy, FOC Ultra Carbon Frame, 110mm Travel Independent Drivetrain® 27.5 AOS Suspension System w/ Forged Linkage, Pivots, 1 1/8"-1 1/2" Integrated Head Tube, and 12 x 142mm Maxle Dropouts
FORK	↑ Fox 32 FLOAT 27.5 CTD Remote FIT, 110mm Travel, 15QR, w/ FIT Damper, Remote Lockout & Rebound Adjust, Tapered Alloy Steerer
REAR SHOCK	☐ Fox Racing Shox Float CTD Remote BV, 6.5"x1.5" Air Shock, w/ Rebound Adjust & Remote Lockout
CHAIN DEVICE	☐ (F) e.thirteen XCX+ High Direct Mount,
CRANKSET	☐ RaceFace Turbine Basic, 32T Narrow Wide
BOTTOM BRACKET	☐ RaceFace
PEDALS	☐ N/A
DERAILLEUR	☑ (R) Shimano Deore XT Shadow Plus, Direct Mount, RD-M786-D, GS Cage
SHIFTERS	☑ Shimano Deore XT, SL-M780, Rapid Fire, Right Side Only
REAR COGS	☑ Shimano Deore XT, CS-M771-10, 10-Speed, 11-36T
CHAIN	☐ KMC X10
RIMS	☐ Stan's NoTubes Crest, ZTR Tubeless, 32H
TIRES	☐ (F) Continental X-King 27.5x2.2", Folding, (R) Continental X-King 27.5x2.2", Folding
HUBS	☑ (F) DT Swiss 350, Centerlock, 15x100mm Thru Axle, (R) DT Swiss 350, Centerlock, 12x142mm Thru Axle

SPOKES	✱ DT Competition, 1.8/1.6 Stainless, Black
NIPPLES	✱ DT Alloy
BRAKES	☑ (F) Shimano Deore XT, BR-M785 w/ Metallic Pad, 180mm SM-RT81 Centerlock IceTech Rotor, (R) Shimano Deore XT, BR-M785 w/ Metallic Pad, 180mm SM-RT81 Centerlock IceTech Rotor
BRAKE LEVERS	☑ Shimano Deore XT, BL-M785
HANDLEBARS	☑ RaceFace Turbine 35, 740mm Width, 10mm Rise
STEM	☑ RaceFace Turbine 35, 1 1/8" Threadless, 0° Rise, 35mm Clamp, 80mm
GRIPS	☑ GT Statement Single Lock-on Grips
HEADSET	☑ Orbit C-40-ACB
SADDLE	☑ fizik Tundra2, Manganese Rail
SEAT POST	☑ RaceFace Turbine, 31.6x375mm
SEAT CLAMP	☑ All Terra Alloy, 34.9mm



MOUNTAIN » XC

HELION CARBON EXPERT

27.5
550BALL NEW
FOR MY15

SIZES	⇒ S, M, L, XL
COLORS (CODE)	☞ Gloss White/Orange
FRAME	⚡ COR XC Philosophy, FOC Ultra Carbon Frame, 110mm Travel Independent Drivetrain® 27.5 AOS Suspension System w/ Forged Linkage, Pivots, 1 1/8"-1 1/2" Integrated Head Tube, and 12 x 142mm Maxle Dropouts
FORK	↑ RockShox Reba RL 27.5 Solo Air, 110mm Travel, 15x100mm Maxle, w/ Remote Lockout & Rebound Adjust, Tapered Alloy Steerer
REAR SHOCK	⇄ Fox Racing Shox Float CTD Remote BV, 6.5"x1.5" Air Shock, w/ Rebound Adjust & Remote Lockout
CHAIN DEVICE	☞ N/A
CRANKSET	☞ Shimano SLX, FC-M675, 38/24T, 2x10
BOTTOM BRACKET	⇄ Shimano
PEDALS	☞ N/A
DERAILLEUR	↗ (F) Shimano SLX, FD-M676-D, (R) Shimano Deore XT Shadow Plus, Direct Mount, RD-M786-D, GS Cage
SHIFTERS	⊕ Shimano SLX, SL-M670, Rapid Fire
REAR COGS	➤ Shimano CS-HG81-10, 10-Speed, 11-36T
CHAIN	○ KMC X10
RIMS	○ Stan's NoTubes Rapid 25, Tubeless, 32H
TIRES	≡ (F) Continental X-King 27.5x2.2", Folding, (R) Continental X-King 27.5x2.2", Folding
HUBS	⇄ (F) All Terra High Flange Alloy Disc, Sealed Bearing, 15x100mm Thru Axle, (R) All Terra High Flange Alloy Cassette Disc, Sealed Bearing, 12x142mm Thru Axle

SPOKES	✱ DT Competition, 1.8/1.6 Stainless, Black
NIPPLES	✱ Brass
BRAKES	↗ (F) Shimano SLX, BR-M675 Hydraulic, w/Metallic Pad & RT-68 180mm Centerlock Rotor, (R) Shimano SLX, BR-M675 Hydraulic, w/Metallic Pad & RT-68 180mm Centerlock Rotor
BRAKE LEVERS	☞ Shimano SLX, BL-M675
HANDLEBARS	~ RaceFace Ride, Low Rise, 740mm Width
STEM	☞ RaceFace Ride, 1-1/8" Threadless, 6° Rise, 31.8mm Clamp, 80mm
GRIPS	☞ GT Statement Single Lock-on Grips
HEADSET	☞ Orbit C-40-ACB
SADDLE	➤ fizik Tundra2, Manganese Rail
SEAT POST	↑ RaceFace Ride, 31.6x375mm
SEAT CLAMP	☞ All Terra Alloy, 34.9mm



MOUNTAIN » XC

HELION PRO

27.5
550BALL NEW
FOR MY15

SIZES	⇒ XS, S, M, L, XL
COLORS (CODE)	☐ Gloss White
FRAME	▧ COR XC Philosophy, 6061-T6 Hydroformed Aluminum Frame, 130mm Travel Independent Drivetrain® 27.5 AOS Suspension System w/Forged Linkage, Pivots, 1 1/8"-1 1/2" Integrated Head Tube, and 12 x 142mm Maxle Dropouts
FORK	↑ Fox 32 FLOAT 27.5 CTD Remote FIT, 110mm Travel, 15QR, w/FIT Damper, Remote Lockout & Rebound Adjust, Tapered Alloy Steerer
REAR SHOCK	⇄ Fox Racing Shox Float CTD Remote BV, 6.5"x1.5" Air Shock, w/Rebound Adjust & Remote Lockout
CHAIN DEVICE	☞ (F) e.thirteen XCX+ High Direct Mount
CRANKSET	☞ RaceFace Evolve, 32T Narrow Wide
BOTTOM BRACKET	⇄ RaceFace
PEDALS	☐ N/A
DERAILLEUR	↗ (R) Shimano Deore XT Shadow Plus, Direct Mount, RD-M786-D, GS Cage
SHIFTERS	⊕ Shimano Deore XT, SL-M780, Rapid Fire, Right Side Only
REAR COGS	▸ Shimano Deore XT, CS-M771-10, 10-Speed, 11-36T
CHAIN	○ KMC X10
RIMS	○ WTB STi23, UST Tubeless, 32H
TIRES	≡ (F) Continental X-King 27.5x2.2", Folding, (R) Continental X-King 27.5x2.2", Folding
HUBS	⇄ (F) All Terra High Flange Alloy Centerlock Disc, Sealed Bearing, 15x100mm Thru Axle, (R) All Terra High Flange Alloy Cassette Centerlock Disc, Sealed Bearing, 12x142mm Thru Axle

SPOKES	✱ DT Competition, 1.8/1.6 Stainless, Black
NIPPLES	✱ Brass
BRAKES	☞ (F) Shimano Deore XT, BR-M785 Hydraulic, w/Metallic Pad & RT-81 180mm Centerlock IceTech Rotor, (R) Shimano Deore XT, BR-M785 Hydraulic, w/Metallic Pad & RT-81 180mm Centerlock IceTech Rotor
BRAKE LEVERS	☞ Shimano Deore XT, BL-M785
HANDLEBARS	~ RaceFace Ride, Low Rise, 740mm Width
STEM	☞ RaceFace Ride, 1 1/8" Threadless, 6° Rise, 31.8mm Clamp, 80mm
GRIPS	☞ GT Statement Single Lock-on Grips
HEADSET	☞ Orbit C-40-ACB
SADDLE	☞ fizik Tundra2, Manganese Rail
SEAT POST	↑ RaceFace Ride, 31.6x375mm
SEAT CLAMP	☞ All Terra Alloy, 34.9mm



MOUNTAIN » XC

HELION EXPERT

27.5
550BALL NEW
FOR MY15

SIZES	⇒ XS, S, M, L, XL
COLORS (CODE)	☐ Matte Black
FRAME	✓ COR XC Philosophy, 6061-T6 Hydroformed Aluminum Frame, 130mm Travel Independent Drivetrain® 27.5 AOS Suspension System w/Forged Linkage, Pivots, 1 1/8"-1 1/2" Integrated Head Tube, and 12 x 142mm Maxle Dropouts
FORK	↑ Fox 32 FLOAT 27.5 CTD Remote O/C, 110mm Travel, 15QR, w/Open Cartridge Damper, Remote Lockout & Rebound Adjust, Tapered Alloy Steerer
REAR SHOCK	☐ Fox Racing Shox Float CTD Remote, 6.5"x1.5" Air Shock, w/ Rebound Adjust & Remote Lockout
CHAIN DEVICE	☐ N/A
CRANKSET	☐ Shimano SLX, FC-M675, 38/24T, 2x10
BOTTOM BRACKET	☐ Shimano
PEDALS	☐ N/A
DERAILLEUR	✂ (F) Shimano Deore, FD-M616-D, (R) Shimano Deore XT Shadow Plus, Direct Mount, RD-M786-D, GS Cage
SHIFTERS	⊕ Shimano SLX, SL-M670, Rapid Fire
REAR COGS	▶ Shimano CS-HG81-10, 10-Speed, 11-36T
CHAIN	○ KMC X10
RIMS	○ WTB STi23, UST Tubeless, 32H
TIRES	⋯ (F) Continental X-King 27.5x2.2", Folding, (R) Continental X-King 27.5x2.2", Folding
HUBS	⇄ (F) All Terra High Flange Alloy Centerlock Disc, Sealed Bearing, 15x100mm Thru Axle, (R) All Terra High Flange Alloy Cassette Centerlock Disc, Sealed Bearing, 12x142mm Thru Axle

SPOKES	✱ DT Industry, 2.0 Stainless, Black
NIPPLES	✱ Brass
BRAKES	✂ (F) Shimano Deore, BR-M615 Hydraulic, w/Metallic Pad & 180mm Centerlock Rotor, (R) Shimano Deore, BR-M615 Hydraulic, w/Metallic Pad & 180mm Centerlock Rotor
BRAKE LEVERS	☞ Shimano Deore, BL-M615
HANDLEBARS	~ RaceFace Ride, Low Rise, 740mm Width
STEM	☐ RaceFace Ride, 1 1/8" Threadless, 6° Rise, 31.8mm Clamp, 80mm
GRIPS	☞ GT Statement Single Lock-on Grips
HEADSET	☐ Orbit C-40-ACB
SADDLE	☐ WTB Silverado Race SL, Cromoly Rail
SEAT POST	↑ RaceFace Ride, 31.6x375mm
SEAT CLAMP	☐ All Terra Alloy QR, 34.9mm



MOUNTAIN » XC

HELION ELITE

27.5
550BALL NEW
FOR MY15

SIZES	⇒ XS, S, M, L, XL
COLORS (CODE)	☐ Gloss Navy
FRAME	☑ COR XC Philosophy, 6061-T6 Hydroformed Aluminum Frame, 130mm Travel Independent Drivetrain® 27.5 AOS Suspension System w/Forged Linkage, Pivots, 1 1/8"-1 1/2" Integrated Head Tube, and 12 x 142mm Maxle Dropouts
FORK	↑ RockShox XC32 TK 27.5 Solo Air, 110mm Travel, 15x100mm Maxle, w/ Remote Lockout & Rebound Adjust, Tapered Alloy Steerer
REAR SHOCK	☐ X-Fusion 02 RL, 6.5"x1.5" Air Shock, w/Rebound Adjust & Remote Lockout
CHAIN DEVICE	☐ N/A
CRANKSET	☐ Shimano Deore, FC-M615, 38/24T, 2x10
BOTTOM BRACKET	☐ Shimano
PEDALS	☐ N/A
DERAILLEUR	☑ (F) Shimano Deore, FD-M616-D, (R) Shimano SLX Shadow Plus, Direct Mount, RD-M675-D
SHIFTERS	☐ Shimano Deore, SL-M610, Rapid Fire
REAR COGS	☑ Shimano CS-HG50-10, 11-36T, 10-speed
CHAIN	☐ KMC X10
RIMS	☐ WTB STi23, UST Tubeless, 32H
TIRES	☐ (F) WTB BeeLine 27.5x2.2", (R) WTB BeeLine 27.5x2.2"
HUBS	☑ (F) All Terra Tall Flange Alloy Centerlock Disc, Sealed Bearing, 15x100mm Thru Axle, (R) All Terra Alloy Cassette Centerlock Disc, w/QR

SPOKES	✱ 14/15G Stainless, Black
NIPPLES	✱ Brass
BRAKES	☑ (F) Shimano BR-M447 Hydraulic, w/180mm Centerlock Rotor; (R) Shimano BR-M447 Hydraulic, w/180mm Centerlock Rotor
BRAKE LEVERS	☑ Shimano BL-M506
HANDLEBARS	☐ All Terra AL6061 DB, 740mm
STEM	☐ All Terra, 1 1/8" Threadless, 6° Rise, 31.8mm Clamp, 80mm
GRIPS	☑ GT Statement Single Lock-on Grips
HEADSET	☑ Orbit C-40-ACB
SADDLE	☐ WTB Silverado
SEAT POST	↑ All Terra 2-bolt, 31.6x400mm
SEAT CLAMP	☑ All Terra Alloy QR, 34.9mm



MOUNTAIN » XC

HELION COMP

27.5

ALL NEW
FOR MY15



SIZES	⇒ XS, S, M, L, XL
COLORS (CODE)	☞ Matte Grey
FRAME	☑ COR XC Philosophy, 6061-T6 Hydroformed Aluminum Frame, 130mm Travel Independent Drivetrain® 27.5 AOS Suspension System w/Forged Linkage, Pivots, 1 1/8"-1 1/2" Integrated Head Tube, and 12 x 142mm Maxle Dropouts
FORK	↑ Raidon XC RL-R 27.5", 110mm Travel, Air Spring, QR Dropout, w/Remote Lockout & Rebound Adjust, Tapered Alloy Steerer
REAR SHOCK	☞ X-Fusion 02 RL, 6.5"x1.5" Air Shock, w/Rebound Adjust & Remote Lockout
CHAIN DEVICE	☞ N/A
CRANKSET	☞ Shimano FC-M430, 44/32/22T
BOTTOM BRACKET	☞ Shimano BB-ES25, Octalink
PEDALS	☞ N/A
DERAILLEUR	☞ (F) Shimano SLX, FD-M661-D, (R) Shimano Deore, RD-M592
SHIFTERS	☞ Shimano Alivio, SL-M4000
REAR COGS	☞ SRAM PG920, 11-34T, 9-speed
CHAIN	☞ KMC Z99
RIMS	☞ Alex GXD22, Double Wall 32H
TIRES	☞ (F) WTB BeeLine 27.5x2.2", (R) WTB BeeLine 27.5x2.2"
HUBS	☞ (F) All Terra Alloy Centerlock Disc, w/Quick Release, (R) All Terra Alloy Cassette Centerlock Disc, w/Quick Release

SPOKES	✱ 14G Stainless, Black
NIPPLES	✱ Brass
BRAKES	☞ (F) Shimano BR-M355 Hydraulic, w/180mm Centerlock Rotor, (R) Shimano BR-M355 Hydraulic, w/180mm Centerlock Rotor
BRAKE LEVERS	☞ Shimano BR-M355
HANDLEBARS	☞ All Terra AL6061 DB, 740mm
STEM	☞ All Terra, 1 1/8" Threadless, 6° Rise, 31.8mm Clamp, 80mm
GRIPS	☞ GT Statement Single Lock-on Grips
HEADSET	☞ Orbit C-40-ACB
SADDLE	☞ All Terra Colorado
SEAT POST	↑ All Terra 2-bolt, 31.6x400mm
SEAT CLAMP	☞ All Terra Alloy QR, 34.9mm



MOUNTAIN » XC

HELION CARBON FRAMESET

275
SUB**ALL NEW**
FOR MY15

SIZES	⇒ S, M, L, XL
COLORS (CODE)	☐ Matte Raw/Yellow
FRAME	☑ COR XC Philosophy, FOC Ultra Carbon Frame, 110mm Travel Independent Drivetrain® AOS Suspension System w/Forged Linkage, Pivots, 1 1/8"-1 1/2" Integrated Head Tube, and 12 x 142mm Maxle Dropouts
FORK	↑ N/A
REAR SHOCK	☐ Fox Racing Shox Float CTD Remote BV w/Adjust Kashima, 6.5"x1.5" Air Shock, w/Rebound Adjust & Remote Lockout
CHAIN DEVICE	☑ N/A
CRANKSET	☐ N/A
BOTTOM BRACKET	☐ N/A
PEDALS	☐ N/A
DERAILLEUR	☐ N/A
SHIFTERS	☐ N/A
REAR COGS	☐ N/A
CHAIN	☐ N/A
RIMS	☐ N/A
TIRES	☐ N/A
HUBS	☐ N/A

SPOKES	✱ N/A
NIPPLES	✱ N/A
BRAKES	☐ N/A
BRAKE LEVERS	☐ N/A
HANDLEBARS	☐ N/A
STEM	☐ N/A
GRIPS	☐ N/A
HEADSET	☐ N/A
SADDLE	☐ N/A
SEAT POST	☐ N/A
SEAT CLAMP	☐ All Terra Alloy, 34.9mm